

CAPTAIN

5 TINE CULTIVATOR

Length (mm)	: 1270
Width (mm)	: 520
Height (mm)	: 810
Number of tynes	: 5
Cutting width (mm)	: 1200
Cutting depth (mm)	: 130
Power Requirement (hp)	: 12 TO 15 HP
Weight	: 60



CAPTAIN

7 TINE CULTIVATOR

Length (mm)	: 1370
Width (mm)	: 520
Height (mm)	: 824
Number of tynes	: 7
Cutting width (mm)	: 1350
Cutting depth (mm)	: 130
Power Requirement (hp)	: 13 TO 15
Weight	: 7



CAPTAIN

ALTERNATOR

KVA	:	7.5 KVA-Three Phase
Diesel Cons.	:	1 Ltr./Hour(Approx)
Capacity	:	5 Hp Motor
Weight	:	134 (with attachment)
Height (mm)	:	1100
Width (mm)	:	510
Length (mm)	:	750



CAPTAIN

AUTOMATIC SEED DRILL

Length (mm) : 1270
Width (mm) : 1270+720
Height (mm) : 1230
Weight (kg) : 140
Hopper : Two
Area Covered : 1 Acre / Hour (Approx)



CAPTAIN

BLADE CULTIVATOR


Length (mm)	: 480
Width (mm)	: 1365
Height (mm)	: 760
Working Width single Blade (mm)	: 510
Working Depth (mm)	: 75-100
Weight (kg)	: 60



CAPTAIN

BUND FORMER

Length (mm)	: 1120
Width(mm)	: 1910
Height (mm)	: 1150
Weight (kg)	: 135



CAPTAIN

CAGE WHEEL

CAGE WHEEL dia(mm)	: 750
Width(mm)	: 450
height(mm)	: 450



CAPTAIN

CENTRIFUGAL PUMP

Length (mm)	: 750
Width(mm)	: 500
Height(mm)	: 1400
Weight(kg)	: 90
Drive Option	: V.Belt & Pully Or Gearbox



CAPTAIN

CHAFF CUTTER


Length (mm)	: 1100
Width (mm)	: 1450
Height (mm)	: 1220
Weight (kg)	: 241



CAPTAIN

CHISEL PLOUGH

Length (mm)	:	590 mm
Width (mm)	:	1350 mm
Height (mm)	:	800 mm
Weight (kg)	:	61 Kg.
Tine	:	3 Nos.
Depth in the soil (mm):		203.2 mm
Area Covered	:	1 Acre/Hour(Approx)



CAPTAIN

COTTON PICKER

Electric power(w) : 11
Voltage(v/DC) : 12
Battery : 12V7 ah/20 hr
Charge Time : 6 Hours
Discharge Time : 6 Hours
Weight (gm) : 620



CAPTAIN

CULTIVATOR SAVEN BAR POINT

Length (mm)	: 495
Width(mm)	: 1380
Height(mm)	: 810
Number of tynes	: 7
Power Reruiement (hp)	: 13 to 25 hp
Weight (kg)	: 76



CAPTAIN

DISC HARROW

Length (mm) - A	:	1370
Width (mm) - B	:	1230
Height (mm) - C	:	840
Total Weight (kg)	:	207
Working Width (mm)	:	940
Diameter of Disc (mm)	:	460
No. of Plane Discs	:	7
No. of Notch Disc	:	7
3-Point Hitch	:	cat.1
Power Required (hp)	:	15-25
Power Required (kW)	:	11-18



CAPTAIN

DISC PLOUGH

Length (mm)	: 1365
Width(mm)	: 915
Height(mm)	: 840
Diameter of Disc(mm)	: 570
Power Required (hp)	: 20-25
Power Required (kw)	: 14-18
Number of disc(N)	: 2
Guide disc (N)	: 1
Distance between disc (mm)	: 440
Working Depth (mm)	: 150
Weight (kg)	: 163



CAPTAIN

DOZER

Width (mm)	:	1525 mm
Height (mm)	:	380 mm
Weight (kg)	:	175 Kg.
Lifting Height (mm)	:	325 mm
Bucket Cap. (kg)	:	600 Kg.
Diesel Cons.	:	1 Ltr. / Hrs.(Approx)



CAPTAIN

FERTILIZER BROADCASTER

Width(mm)	:	1180
Height(mm)	:	1130
Capacity (kg)	:	345
weight (kg)	:	63
Spreading Width Granular	:	12000-14000
Spreading Width Crystalline	:	6000-7000
Absorbed Power at 540 RPM	:	6 hp / 4.5 kw



CAPTAIN

FERTILIZER ATTACHMENT


Length (mm)	:	210
Width (mm)	:	1720
Height (mm)	:	680
Weight (kg)	:	40
Area Covered	:	Fertilizer can be applied in 2 row



CAPTAIN

FINISHING MOWER

		1.2 m	1.5 m
Length (mm) - A	:	1310	1350
Width (mm) - B	:	1620	1600
Height (mm) - C	:	865	680
Total Weight (kg)	:	154	154
Cutting Width (mm)	:	1225	1500
Cutting Blade Diameter (mm)	:	425	515
No. of Blades	:	3	3
Power Required (hp)	:	15-25	15-25
Power Required (kW)	:	11-18	11-18
3-Point Hitch	:	Cat. 1N	Cat. 1N



CAPTAIN

FURROW ATTACHMENT

Length (mm) : 680
Width (mm) : 540
Height (mm) : 900 (Hitch Point)
Weight (kg) : 44
Application : To Make Water Flow Small
Channels in the Field.



CAPTAIN

HEIGHT ATTACHMENT

Weight (kg)	:	1145 K.G
Length (mm)	:	2540 mm
Width (mm)	:	1727 mm
Height (mm)	:	2100 mm
Wheel Base (mm)	:	1900 mm
Ground Clearance (mm)	:	900 mm

Track Length

Driving Wheels (mm)	:	1525 mm
Steering Wheels (mm)	:	1600 mm



CAPTAIN

HORTICULTURE SPRAYER


Length (mm)	: 1000
Width(mm)	: 940
height(mm)	: 1500
Tank capacity (ltr)	: 200
Weight(kg)	: 84



CAPTAIN

LEVELER

Length (mm)	:	655 mm
Width (mm)	:	1370 mm
Height (mm)	:	785 mm (Hitch Point)
Weight (kg)	:	65 Kg.
Diesel Cons.	:	1 Ltr./Hour(Approx)
Area Covered	:	4 Feet Width & 0.5 to 0.75 Acre/Hour(Approx) Enable for Leveling Work



CAPTAIN

LOADER

Length (mm)	:	2350
Width (mm)	:	1175
Lifting Height (mm)	:	3000
Bucket Cap (kg)	:	300
Capacity	:	6 to 8 min. for Small trailer 12 to 16 min. for Big trailer
Dumping Height (mm):		1683 mm



CAPTAIN

M. B. PLOUGH

Length (mm)	:	1000
Width (mm)	:	560
Height (mm)	:	520
Weight (kg)	:	80
Farrow	:	Two
Depth in the soil (mm)	:	203.2 to 254
Width in the soil (mm)	:	440
Area Covered	:	0.5 Acre/Hour(Approx)



CAPTAIN

MICRO DITCHER

Length (mm) : 1720

Width(mm) : 1800

Height (mm) : 1210



CAPTAIN

POST HOLE DIGGER

Length (mm)	:	2000
Width(mm)	:	580
Height(mm)	:	1820
Max.depth of Hole (mm)	:	770
Drill Diameter	:	240
Weight(kg)	:	159
Application	:	Post Hole Digger is Used To Make pits for Plantaion Of Mango, Coconut ,Pomegranate etc.



CAPTAIN

POWER REAPER

Length (mm)	: 1676
Height (mm)	: 457
Moldboard thickness (mm)	: 3
Adjustable skid shoes (mm)	: 100
Required power (hp)	: 15-25
Weight (kg)	: 117
No. of hydraulic jack (n)	: 3



CAPTAIN

REAPER

Length (mm) : 1330
Width (mm) : 1780
Height (mm) : 880
Weight (kg) : 185 (Approx.)
Area Covered : 1 Acre/Hour (Approx.)
Drive Type : Hydro Motor Drive



CAPTAIN

REVERSIBLE DISC PLOUGH

Length (mm)	: 1600
Width(mm)	: 1080
Height(mm)	: 870
Diameter of Disc(mm)	: 565
Power Required (hp)	: 20-25
Power Required (kw)	: 14-18
Number of disc(N)	: 2
Guide disc (N)	: 1
Distance between disc (mm)	: 475
Working Depth (mm)	: 152
Weight (kg)	: 218

